

Description

Method and System For Authoring Case Bases Related To  
Work Machines

5

Technical Field

10 This invention relates generally to  
providing diagnostics for work machines and work  
particular to a method and system for authoring case  
bases for work machines.

Background Art

15 Case based reasoning has been applied to  
various diagnostics and "help-desk" tools. A case  
contains a list of symptoms, a set of case bases and a  
set of action items describing an appropriate repair  
or test. A case base contains questions and paths to  
20 possible repairs/tests, i.e., action items.

An author creates/writes "questions" and  
"answers" which are designed to lead the user to a  
diagnosis or an action item to solve the problem.

25 However, for some work machines or systems  
there are in existence other tools and systems  
containing information related to the machine, e.g.,  
repair and technical information. In the field, there  
may be other systems directly connected to the machine  
or system that contain information which would be  
30 helpful to the diagnostic system to have access to  
assist in the process of diagnosing or providing  
repair or test solutions.

The present invention is directed to overcome one or more of the problems as set forth above.

5    Disclosure of the Invention

          In one aspect of this invention, a computer based method for authoring case bases related to a work machine is provided. The case bases is comprised of diagnostic information and processes related to the  
10    work machine. The method includes the steps of, as a function of input from an author, authoring a case base, providing an external source containing service information related to the work machine, and, as a function of input from the author, providing a link  
15    within the case base to related information contained in the external source.

          In another aspect of the present invention, a computer based system for authoring case bases related to a work machine is provided. The system  
20    includes an external source and a diagnostic reasoning authoring tool. The external source contains service information related to the work machine. The diagnostic reasoning authoring tool is used for authoring a case base. The diagnostic reasoning authoring tool  
25    contains an attachment utility for providing a link, based on input from an author, to related information in the external source.

Brief Description of the Drawings

30           Fig. 1 is a block diagram of a computer based system for authoring cases related to work machines, according to an embodiment of the present

Fig. 2 is a flow diagram of a method for authoring cases related to work machines, according to an embodiment of the present invention;

Fig. 4 is a diagrammatic illustration of a Logon Error Window of the computer based system and method of Figs. 1 and 2;

Fig. 6 is a diagrammatic illustration of a  
15 Attachment Utility screen of the computer based system  
and method of Figs. 1 and 2;

20                    Fig. 8 is a diagrammatic illustration of a  
Serial Number Invalid Warning Dialog of the computer  
based system and method of Figs. 1 and 2;

Fig. 10 is a diagrammatic illustration of an Alert Dialog of the computer based system and method of Figs. 1 and 2;

Fig. 12 is a diagrammatic illustration of as

SMCS Panel of the computer based system and method of Figs. 1 and 2;

Fig. 13 is a diagrammatic illustration of a DPSO Panel of the computer based system and method of Figs. 1 and 2;

Fig. 14 is a diagrammatic illustration of a Configuration Dialog of the computer based system and method of Figs. 1 and 2;

Fig. 15 is a diagrammatic illustration of a Diag Codes Tool Call Panel of the computer based system and method of Figs. 1 and 2;

Fig. 16 is a diagrammatic illustration of a Status Tool Call Panel of the computer based system and method of Figs. 1 and 2;

Fig. 17 is a diagrammatic illustration of an Execute Tools Calls Tab of the computer based system and method of Figs. 1 and 2;

Fig. 18 is a diagrammatic illustration of a Serial Number Effectivity Screen of the computer based system and method of Figs. 1 and 2;

Fig. 19 is a diagrammatic illustration of a View Menu of the computer based system and method of Figs. 1 and 2;

Fig. 20 is a diagrammatic illustration of a Case View Links Screen of the computer based system and method of Figs. 1 and 2;

Fig. 21 is a diagrammatic illustration of a Case View Screen of the computer based system and method of Figs. 1 and 2;

Fig. 22 is a diagrammatic illustration of a Case Base Dialog of the computer based system and method of Figs. 1 and 2;

09745238 12000

Fig. 23 is a diagrammatic illustration of a Serial Number Publish Dialog of the computer based system and method of Figs. 1 and 2;

Fig. 24 is a diagrammatic illustration of a Publish Confirmation Dialog of the computer based system and method of Figs. 1 and 2;

Fig. 25 is a diagrammatic illustration of an Add Effectivity Dialog of the computer based system and method of Figs. 1 and 2;

Fig. 26 is a diagrammatic illustration of an Update Effectivity Dialog of the computer based system and method of Figs. 1 and 2;

Fig. 27 is a diagrammatic illustration of a User Properties Screen of the computer based system and method of Figs. 1 and 2;

Fig. 28 is a diagrammatic illustration of an Add User Dialog of the computer based system and method of Figs. 1 and 2;

Fig. 29A is a flow diagram of a first portion of an authoring process, according to an embodiment of the present invention; and,

Fig. 29B is a flow diagram of a second portion of the authoring process of Fig. 29A.

## Best Mode For Carrying Out The Invention

With reference to the drawings and in operation, the present invention provides a computer based method and system and a computer program for authoring cases related to a work machine 128. The work machine 128 can be any sort of machine such as an earthmoving machine, construction machine, transportation machine, engine, computer, air

conditioner, etc. ... This list is exemplary only and not intended to be exclusive.

Generally, a case contains diagnostic information and processes related to a work machine

5 128. A case contains a list of symptoms, a set of case bases, and a set of action items describing an appropriate repair or test. A case base contains questions and paths to possible repairs/tests.

Preferably, the present invention is  
10 implemented in software for execution on computers  
connected in a network.

With reference to Fig. 1, a computer based system 100 for authoring case bases related to a work machine 128 according to the present invention will now be discussed.

A service information system 102A includes service information related to the work machine 128. Preferably, the service information system 102A includes system functional tests and diagnostic code procedures which are published in paper format (indicated by reference number 104), but may be published on electronic media.

The computer based system 100 includes a diagnostic reasoning authoring tool (DRAT) 106 for authoring case bases (as discussed below). In the preferred embodiment, the DRAT 106 includes a diagnostic authoring tool 108, an attachment utility 110 and a case base authoring tool 112.

The computer based system 100 is utilized by  
30 an author 114. The author 114 may be one person or  
several persons having specified roles within the case  
authoring process (as discussed below).



Preferably, the electronic media delivery system 116 publishes the case(s) and information from the service information system 102A on an electronic media, e.g., compact disc 118. The electronic media 118 is utilized by a diagnostic delivery system 120 to perform diagnostics on the work machine 128 in the field. Preferably, updated electronic media 118 are released on a periodic basis, e.g., monthly. The diagnostic delivery system 120 may be accessed by a workstation (not shown) at a dealership or via a laptop (not shown) by a technician in the field.

The case bases are also stored in a case base repository 122 for access by a service advisor 124, such as a help desk. Users of the diagnostic delivery system 120 and the service advisor 124 may provide feedback regarding the case bases to a





With reference to Fig. 5, if the data entered in the Logon Information Window 300 is correct then a Main Utility Menu 500 is presented. The Main Utility Menu 500 includes a Links / Attachment Radio Button 502, a Serial Number Effectivity // Send to EMD Radio Button 504, a User Administration Radio Button 506, and an OK Button 508.

With reference to Fig. 6, upon actuation of  
20 the OK button 508 in the Main Utility Menu 500 with  
the Links / Attachment Radio Button 502 selected, an  
Attachment Utility Screen 600 is displayed.

When the Attachment Utility Screen 600 is  
30 initialized, only the Serial Number Lookup Section 602  
is enabled. The Serial Number Lookup Section 602  
includes a Serial Number Text Box 608 and a Serial

Number Browse Button 610.

The user may enter the Serial Number for the desired work machine 128 directly in the Serial Number Text Box 608 or activate the Serial Number Browse  
5 Button 610.

With reference to Fig. 7, if the user activates the Serial Number Browse Button 610, then a Find Serial Number Prefix Dialog 700 is displayed. The Find Serial Number Prefix Dialog 700 includes a  
10 Product Family List 702 and a Model List 704. The Product Family List 702 includes an expandable list of all product families available. When the user selects a product family from the Product Family List 702, the product models and serial number prefixes for the  
15 select family are displayed in the Model List 704. The Find Serial Number Prefix Dialog 700 includes an OK Button 706 and a Cancel Button 708.

After a product family and model have been selected in the Product Family List 702 and the Model  
20 List 704, respectively, the OK Button 706 is activated. If the user actuates the OK Button 706, the selected serial number prefix is entered into the Serial Number Text Box 608. If the user actuates the Cancel Button 708, then the Find Serial Number Prefix  
25 Dialog 700 is erased or dismissed.

The Serial Number Lookup Section 602 includes a New Button 612 and a Clear Button 614. If the user actuates the New Button 612, the Serial Number Text Box 608 is cleared.

30 After the user has entered a prefix, the user may either actuate the Check Button 614 or the <ENTER> key on a keyboard (not shown).

5

15

30

Attachment Information Panel 630 are a function of the selected Tab 616, 618, 620, 622, 624, 626, 628.

The Attachment Information Panel 630 includes an Insert Button 632. After the user enters information in the Attachment Information Panel 630, the user actuates the Insert Button 632 to insert a link using the entered information into the Additional Information Text Box 606. After the user actuates the Insert Button 632, the Attachment Information Panel 630 is reset to its initial state.

The Attachment Utility Screen 600 further includes an Exit Button 634, a New Button 636, a Copy Button 638 and a Help Button 640. Actuation of the Exit Button 634 dismisses the Attachment Utility

15 Screen 600. Actuation of the New Button 636 clears the Attachment Information Panel 630.

If the Exit Button 634 or the New Button 636 is actuated while there is information in the Attachment Information Panel 630 then a Warning Dialog (not shown) is displayed.

Once a link has been selected and inserted in the Attachment Tabbed Window Pane 604, a link appears in the Additional Information Text Box 606. The Additional Information Text Box 606 is a representation of what will be seen on the delivery side, e.g., in the Diagnostic Delivery System 120 and the Service Advisor 124. The user may type and edit descriptive text of the link.

As shown in Fig. 6, when the IE Reference  
30 Tab 616 has been selected, an IE Reference Panel 642  
is displayed in the Attachment Information Panel 630.  
The Attachment Information Panel 630 is used to create

a link to an information source from the Service Information 102. The Attachment Information Panel 630 is also used to create Dangers, Warnings, Cautions, and Notices, collectively, Alerts.

5           The Attachment Information Panel 630  
includes an Information Source Section 644 with a SIS  
CD Radio Button 646 and a SIS Authoring Radio Button  
648. The Information Source Section 644 defines the  
source of the linked information - either electronic  
10 media, i.e., a SIS compact disc or the SIS Authoring  
Software module (not shown). The SIS CD and SIS  
Authoring Radio Buttons 646, 648 are mutually  
exclusive. The Attachment Information Panel 630  
further includes a SIS Authoring Control Number Text  
15 Box 650. The user enters the control number for the  
desired information element into the Text Box 650. A  
SIS Clear Button 652 and a SIS Check Button 654 allow  
the user to clear or select the Text Box 650. An  
Information Type Drop Down List 656 allows the user to  
20 select the type of link being inserted. A Title Drop  
Down List 658 allows the user to select a title for  
the link. The list of available titles is dependent  
upon the control number entered in to the SIS  
Authoring Control Number Text Box 650 and the  
25 Information Type Drop Down List 656.

After all information has been entered, the user actuates the Insert Button 632 to insert the link into the Additional Information Text Box 606.

When more than one Alert is inserted into the Additional Information Text Box 606, a single Alert Link 660 (as shown) will be inserted. The title of the link will have the type of the alerts

that have been inserted, i.e., danger, warning, caution and/or notice.

An exemplary link 662 to information contained in the Service Information System 102 is  
5 also shown.

With reference to Fig. 9, if the user enters a control number for an out of date Alert, then an Alert Message Dialog 900 will be displayed. The Alert Message Dialog 900 includes an OK Button 902 and a  
10 Help Button 904. The OK Button 902 must be actuated to dismiss the Alert Message Dialog 900.

With reference to Fig. 10, when the Insert Button 632 is actuated to insert an Alert, an Alert Dialog 1000 is displayed. The Alert Dialog 1002  
15 illustrates what will appear with the insert link. The title of the Alert Dialog 1000 is a function of the type of Alert. If the user agrees with the Alert Dialog, then a Continue Button 1002 must be actuated. To change information in the IE Reference Panel 642  
20 without inserting the link, a Cancel Button 1004 must be actuated.

If an Alert is mistakenly inserted, the user must delete the Alert from within the Case Base Authoring Tool 112. Alerts will always appear at the  
25 top of all links currently in the Additional Information Text Box 606. The user may double-click on any link within the Additional Information Text Box 606 to see how the link will be displayed within the Diagnostic Delivery System 120 or the Service Advisor  
30 124.

Actuation of the Copy Button 636 copies the contents of the Additional Information Text Box 606 to

00000 "00000" 00000

With reference to Fig. 11, upon user  
5 selection of the DAT Test Proc Tab 618, a DAT Test  
Proc Panel 1102 is displayed in the Attachment  
Information Panel 630. The DAT Test Proc Panel 1102  
allows the user to create a link to a DAT Test Proc.  
A DAT Test Proc is either a system functional test or  
10 a diagnostic code procedure.

20           The Drop Down List 1106 is used to select a  
title from a list of available DAT Test Proc.'s  
located at the indicated source. An exemplary link  
1108 is shown in the Additional Information Text Box  
606.

The SMCS Panel 1202 includes an expandable Component List 1204, a Modifier Code List 1206, and a



Job Code List 1208. The user must select a component code and a job code from the Component List 1204 and the Job Code List 1208, respectively. Selection of a modifier code from the Modifier Code List 1206 is optional. As the user makes selections from the Component List 1204, Modifier Code List 1206 and Job Code List 1208, the respective codes are displayed in a Component Text Box 1210, a Modifier Text Box 1212, and a Job Code List 1214, respectively. Alternately, the user may enter the codes in the Text Boxes 1210, 1212, 1214 directly. Descriptive text based on the selected codes is displayed in a read-only Descriptive Text Box 1216.

Actuation of the Insert Button 632 enters a link 1218 into the Additional Information Text Box 606, as shown. As described above, the user can add additional descriptive text to the link 1218 in the Additional Information Text Box 606.

With reference to Fig. 13, upon user selection of the DPSO Tab 622, a DPSO Panel 1302 is displayed in the Attachment Information Panel 630. The DPSO Panel 1202 allows the user to create a link to a Delivery Product Structure Outline. A Delivery Product Structure Outline is defined as a numerical value that identifies a technical document relating to a particular area, component, or product, i.e., work machine.

The DPSO Panel 1202 includes an expandable Delivery Product Structure Outline List 1304. The Delivery Product Structure Outline List 1304 fills with all of the data in a compressed format. The user can, for example, single click on a plus sign or

5

10

25

The Diag Codes Tool Call Panel 1502 includes

a Control Section 1504. The Control Section 1504 includes a Device ID Text Box 1506, a Data Link Drop Down List 1508, a Retrieve Button 1510, a read-only Control Description Text Box 1512, and a read-only Control Type Text Box 1514. The Diag Codes Tool Call Panel 1502 further includes a Find Text Field 1516 and a CID-FMI Code Description List 1518.

Upon initialization of the Diag Codes Tool Call Panel 1502, the Device ID Text Box 1506, the Control Description Text Box 1512, and CID-FMI Code Description List 1518 are initialized to blank fields. The Data Link Drop Down List 1508 is populated with all available data links.

The author must enter a Device ID in the Device ID Text Box 1506 and select a data link in the Data Link Drop Down List 1508. The Electronic Technician returns to the Attachment Utility 110, the Control Description, Control Type and CID-FMI Code Descriptions. The Find Text Field 1516 is dynamically linked to the CID-FMI Code Description List 1518.

When the Insert Button 632 is actuated, a link 1520 to the selected diagnostic code is inserted into the Additional Information Text Box 606. As described above, the user can add additional descriptive text to the link 1520 in the Additional Information Text Box 606.

With reference to Fig. 16, upon user selection of the Status Tool Call Tab 626, a Status Tool Call Panel 1602 is displayed in the Attachment Information Panel 630. The Status Tool Call Panel 1502 is used to obtain measurements on a given control type from the Electronic Technician System.

Upon initialization of the Status Tool Call Panel 1602, the Device ID Text Box 1606, the Control Description Text Box 1612, and Parameters List 1618 are initialized to blank fields. The Data Link Drop Down List 1608 is populated with all available data links. The author fills in the Device ID Text Box 1606, activating the Retrieve Button 1610. Upon actuation of the Retrieve Button 1610, the Electronic Technician returns to the Attachment Utility 110, the Control Description and the Control Type which are placed in the appropriate fields.

The Status Tool Call Panel 1602 further includes a Measurements Section 1620 with a read-only English Text Field 1622 and a read-only Metric Text Field 1624. Upon user selection of a parameter in the Parameters List 1618, the appropriate unit of measurement is placed in the Text Fields 1622, 1624.

30           When the Insert Button 632 is actuated, a  
link 1626 to the information is inserted into the  
Additional Information Text Box 606. As described

above, the user can add additional descriptive text to the link 1626 in the Additional Information Text Box 606.

With reference to Fig. 17, upon user selection of the Execute Tool Calls Tab 628, an Execute Tool Calls Panel 1702 is displayed in the Attachment Information Panel 630. The Status Tool Call Panel 1702 is used to create a link to selected programs, for example, the Electronic Technician Program. The Execute Tool Calls Tab 628 includes a Find Text Box 1704, a Programs List 1706 and a Start-Up Parameters Text Box 1708. The Find Text Box 1704 is dynamically linked to the Programs List 1706. The user enters any start up parameters the selected program needs in the Start-Up Parameters Text Box 1708.

When the insert button 632 is actuated, a link 1710 to the selected program is inserted into the Additional Information Text Box 606. As described above, the user can add additional descriptive text to the link 1710 in the Additional Information Text Box 606.

Once a link has been selected and inserted in the Attachment Tabbed Window Pane 604, a link appears in the Additional Information Text Box 606. The Additional Information Text Box 606 is a representation of what will be seen on the delivery side, e.g., in the Diagnostic Delivery System 120 and the Service Advisor 124. The user may type and edit descriptive text of the link.

With reference to Fig. 18, upon actuation of the OK button 508 in the Main Utility menu 500 with

the Serial Number Effectivity // Send to EMD radio button 504 actuated, a Serial Number Effectivity Screen 1802 is displayed. The Serial Number Effectivity Screen 1802 is used by the author to view case bases which have been given serial number effectively and to view if and when the case bases were sent to the electronic media delivery system 116. Effectivity is defined as the list of products, identified by the serial number prefix and optional serial number range to which a case base applies.

The Serial Number Effectivity Screen 1802 includes a Case Base List 1804 with a Case Base Name Column 1806, an SN Effectivity Column 1808, a Modified By Column 1810, a Location Column 1812, and a Date to EMD Column 1814.

The Serial Number Effectivity Screen 1802 further includes a Details Text Box 1815 for displaying detailed information regarding a selected case base.

With reference to Fig. 19, a View Menu 1902 is accessible by right clicking in the Serial Number Effectively Screen 1802.

The View Menu 1902 includes a Sort Menu 1904. The Sort Menu Option 1904 allows the user to select the field (Case Base Name, Modified By, Date to EMD) by which the case bases in the Case Base List 1804 are sorted. The View Menu 1902 also includes a Sent to EMD Menu Item 1906 and a Not Sent To EMD Menu Item 1908 for selecting which case bases are displayed in the Case Base List 1804. Either or both Menu Items 1906, 1908 may be selected.

The View Menu 1902 further includes a Link

000001 6225460

With reference to Fig. 20, selection of the Link Menu Item 1910 closes the View Menu 1902 and displays a Case View Screen 2002, preferably

The System Case View Screen 2002 includes a View Links Button 2004.

15 Preferably, links may be viewed in four formats:

2. IE Links: All Questions and Answers are listed with only the IE Links following.

4. DPSO Links: All Questions and Answers are listed with only the DPSO Links following.

Returning to Fig. 18, the Serial Number  
30 Effectivity Screen 1802 includes an OK Button 1816, an  
Add Case Base Button 1818, an Update Serial  
Effectivity Button 1820, a Send to EMD Button 1822,

Actuation of the OK Button 1816 dismisses the Serial Number Effectivity Screen 1802.

The Serial Number Publish Dialog 2302

15 includes an OK Button 2308 and a Cancel Button 2310.

25           With reference to Figs. 18 and 25, with user  
actuation of the Add Case Base Button 1818, an Add  
Effectivity Dialog 2502 allows the user to add serial  
number effectivity to the selected case base. The Add  
Effectivity Dialog 2502 includes a Case Base Location  
30 Text Box 2504, a Browse Button 2506, a Case Base  
Effectivity List 2508, a Serial Number Range Section  
2510, an Arrangement Number Text Box 2512, a Select



List 2514, an Add Button 2516, a Remove Button 2518, an OK Button 2520, and a Cancel Button 2522.

First, the user must set the location of the case base. This may be done by entering the location of the case base directly into the Case Base Location Text Box 2504 or selecting the case base through a Browse Dialog (not shown) through actuation of the Browse Button 2506. With the case base selected, the available family names of machines or systems are listed in the Select List 2514. The user must select a Family in the Select List 2514.

The Serial Number Range Section 2510 includes a High Text Box 2524 and a Low Text Box 2526. Selection of a Family in the Select List 2514 defaults the High Text Box 2524 and the Low Text Box 2526 to 99999 and 1, respectively. The user can change the default values. The user can also add an arrangement number in the Arrangement Number Text Box 2512, but this is optional.

20               When the information is correct, the user  
may actuate the Add Button 2516 to add an effectivity  
date to the Case Base Effectivity List 2508. The Case  
Base Effectivity List 2508 displays all effectivity  
dates for the selected case base. The user may delete  
25 effectivity dates for the current case base by  
actuation the Remove Button 2518 while an effectivity  
date is highlighted.

With reference to Figs. 18 and 26, with actuation of the Update SN Effectivity Button 1820, an Update Effectivity Dialog 2602 allows the user to update serial number effectivity to the selected case base. The Update Effectivity Dialog 2602 includes a

5

10

20

25

30

further includes a Member List 2724, a Not Member of List 2726, an Add Button 2728, and a Remove Button 2730.

5 The User Properties Screen 2702 is used to control the privileges of users. To update user information, a user is selected from the User Name Drop Down List 2704. The user's information can be modified, i.e., password and member status. To update the information, the Apply Button 2716 is actuated.

10 The Member List 2724 and the Not Member List 2726 define the user's rights within the system 100. The Add Button 2728 and the Remove Button 2730 are used to add and remove rights to the user.

15 Actuation of the Delete Button 2718 displays a Confirmation Dialog (not shown) to confirm deletion of a user. Actuation of the Cancel Button 2720 dismisses the User Properties Dialog 2702.

20 With reference to Fig. 28, upon actuation of the Add User Button 2714, an Add User Dialog 2802 is displayed. The Add User Dialog 2802 includes a User Names Text Box 2804, a Full Name Text Box 2806, a Password Text Box 2808, a Password Confirmation Text Box 2810, an OK Button 2812, an Apply Button 2814, a Cancel Button 2816, and a Help Button 2818. The Add User Dialog 2802 further includes a Member List 2820, a Not Member List 2822, an Add Button 2824, and a Remove Button 2826. Operation of the Add User Dialog 2802 is similar to the User Properties Dialog 2702. After the user's information is entered, the OK Button 2812 or the Apply Button 2814 is actuated. The OK Button 2812 dismisses the Add User Dialog 2802 after the information has been added. The Apply Button 2814

00000T"3225460

Of course, various modifications of this invention would come within the scope of the invention.

## Industrial Applicability

For Case Base Authoring Requests that are  
15 received, the II 2902 will initially create or modify  
the case base outline or "CBO" 29.1 and initiate a  
work instance to the PDC 2904 to create or modify the  
case base.

25               Next the PDC 2904 will create the initial machine case base assignment and also create an assignment for each of the system case bases that need to be authored. The Q & A's and the initial empty case bases are stored in a file in "CDF" format.

30           Once the machine case base is created, the  
PDC 2904 will assign the Serial Number Effectivity to  
the machine case base 29.8, attach the CDF file 29.9,

and assign authors to write each of the system case bases 29.10.

The Author 2906 receives the assignment from the PDC 2904 to author a system case base for a given machine 29.11. The Author 2906 detaches the CDF file 29.12 to a local workstation and imports the data into a raima database 29.13. Next, the Author 2906 uses the Case Base Authoring Tool 112 to author questions and actions that will lead service technicians to the root cause of possible problems that with the work machine 128. The Author uses the Attachment Utility 110 to embed links to the Service Information System 102A documents within the Questions and Actions detail information so the service technicians can reference specific technical information while trouble shooting a problem on a work machine 128.

One of the actions, the Author may write is a Diagnostic Code Procedure or a System Functional Test. In these cases, the Author will use the Attachment Utility 110 to create a link to the specific test procedure, the Author wants the end user to run. When the Service Technician is running through the case base on the Diagnostic Advisor 120, the attachments will be displayed as hyper-links in an additional information box on the Question Detail and Action Detail screens. When the hyper-links are accessed, the System Function Test or Diagnostic Code Procedure will be automatically started.

Electronic Technician or ET links may also  
30 be embedded into question and actions through the use  
of the Attachment Utility 110. ET links will be  
attached to questions to aid the Service Technician in

5

10

20

30

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
84